


BUILDING SECTION

FRAME FLOORS WITH 14" TJI'S SERIES 560
 AT 16" O.C. - AS PER SARA - 6/26/15

 SOUND CONTROL THROUGH FLOORS:
 3/4" MAXXON ACOUST-MAT 3 ON 3/4" PLYWOOD FLOOR DECK
 REINFORCEMENT AND 1 1/2" MAXXON UNDERLAYMENT
 FINISHED FLOOR ENGINEERED WOOD OR TILE

 10" BATT INSULATION BETWEEN FLOOR JOISTS

 CEILING BELOW FLOOR ASSEMBLY: (2) LAYERS 5/8" G.W.B.
 SUSPENDED FROM FLOOR JOISTS WITH WAVE CLIPS



JTA ASSOCIATES, INC.
 ARCHITECTS AND SPACEPLANNERS
 EAGLE VILLAGE
 508 WEST LANCASTER AVENUE, WAYNE, PA. 19087
 PHONE (610) 687-0800 FAX (610) 687-8717

WAYNE CONDOMINIUMS
 427 E. LANCASTER AVE.
 WAYNE, PA 19087

BUILDING SECTION

REVISIONS

NO.	DATE	DESCRIPTION

DATE: SEP. 30, 2016
 SCALE:
 PROJECT NO.:
 ISSUE DATE:

A-3