



FOOD ESTABLISHMENT INSPECTION REPORT

RADNOR TOWNSHIP
301 Iven Avenue - Wayne, PA 19087
Phone (610) 688-5600

FOOD ESTABLISHMENT INFORMATION

<u>FE NAME</u>					<u>LICENSE</u>
THE WAYNE BAR					FE00001230
<u>ADDRESS</u>					<u>INSP. TYPE</u> <u>INSP. NUMBER</u>
134 N WAYNE AV	WAYNE		PA 19087		FEI 6508
<u>MANAGER NAME</u>	<u>INSP. DATE</u>	<u>TIME IN</u>	<u>TIME OUT</u>	<u>PURPOSE</u>	
BRAD LIERMANN	6/23/2016	2:00 PM	3:15 PM	ROUTINE	
	<u>OVERALL COMPLIANCE</u>				<u>RISK CATEGORY</u>

OBSERVATIONS AND CORRECTIVE ACTIONS

VIOLATIONS CITED IN THIS REPORT MUST BE CORRECTED WITHIN THE TIME FRAMES BELOW.

COMPLIANCE STATUS: OUT = not in compliance, N/O = not observed, N/A = not applicable, C = corrected on site, R = repeated

<u>COMP STAT</u>	<u>VIOLATION OF CODE</u>	<u>NEW/OLD VIOLATION</u>
	<u>COMMENTS</u>	<u>CORRECT BY DATE</u>

2. CERTIFIED FOOD PROTECTION MANAGER

OUT 2. 46-2-102.12(A) Certified Food Protection Manager (C)
MUST POST IN PLAIN VIEW THE NATIONALLY RECOGNIZED FOOD MANAGER CERTIFICATE AND THE MOST RECENT RADNOR FOOD SAFETY INSPECTION REPORT OR A NOTICE OF THE CONSUMER'S ABILITY TO VIEW UPON REQUEST

5. CLEAN-UP OF VOMITING AND DIARRHEAL EVENTS

OUT 5. 46-2-501.11 Clean-up of Vomiting and Diarrheal Events (Pf)
MUST PROVIDE A WRITTEN PROCEDURE FOR STAFF TO FOLLOW IN THE EVENT OF AN INCIDENT.

41. WIPING CLOTHS; PROPERLY USED AND STORED

COS 41. 46-3-304.14 Wiping Cloths, Use Limitation (C)
WIPING CLOTHS MUST BE STORED IN A SANITIZED SOLUTION BETWEEN USE TO PREVENT BACTERIA GROWTH.

48. WAREWASHING FACILITIES, INSTALLED, MAINTAINED, USED, TEST STRIPS

COS 48. 46-4-501.116 Warewashing Equipment, Determining Chemical Sanitizer Concentration (Pf)
UNABLE TO DEMONSTRATE SANITIZING CONCENTRATION OF MECHANICAL WARE WASHING MACHINE. HAVE MACHINE SERVICED AND USE MANUAL WARE WASHING UNTIL RESOLVED

OUT 48. 46-4-302.14 Sanitizing Solutions, Testing Devices (Pf)
MUST HAVE TEST STRIPS TO PROVE THE SANITIZING CONCENTRATION FOR WIPING CLOTH SOLUTION AND 3 BAY MANUAL WARE WASHING SOLUTION.

51. PLUMBING INSTALLED; PROPER BACKFLOW DEVICES

OUT 51. 46-5-202.13 Backflow Prevention, Air Gap (P)
THE DIPPING WELL SHOULD BE POSITIVELY CONNECTED SO AS TO PREVENT CONTAMINATED WATER FROM FLOW BACK INTO THE POTABLE WATER LINE.

55. PHYSICAL FACILITIES INSTALLED, MAINTAINED, AND CLEAN

OUT 55. 46-6-201.11 Floors, Walls and Ceilings-Cleanability (C)
THE FLOOR UNDER THE COUNTERS AND DISHWASHER NEED CLEANED



FOOD ESTABLISHMENT INSPECTION REPORT

RADNOR TOWNSHIP
301 Iven Avenue - Wayne, PA 19087
Phone (610) 688-5600

FOOD ESTABLISHMENT INFORMATION

<u>FE NAME</u>					<u>LICENSE</u>
THE WAYNE BAR					FE00001230
<u>ADDRESS</u>			<u>INSP. TYPE</u>	<u>INSP. NUMBER</u>	
134 N WAYNE AV	WAYNE	PA 19087	FEI	6508	
<u>MANAGER NAME</u>	<u>INSP. DATE</u>	<u>TIME IN</u>	<u>TIME OUT</u>	<u>PURPOSE</u>	
BRAD LIERMANN	6/23/2016	2:00 PM	3:15 PM	ROUTINE	
	<u>OVERALL COMPLIANCE</u>	<u>RISK CATEGORY</u>			

OBSERVATIONS AND CORRECTIVE ACTIONS

VIOLATIONS CITED IN THIS REPORT MUST BE CORRECTED WITHIN THE TIME FRAMES BELOW.

COMPLIANCE STATUS: OUT = not in compliance, N/O = not observed, N/A = not applicable, C = corrected on site, R = repeated

<u>COMP STAT</u>	<u>VIOLATION OF CODE</u>	<u>NEW/OLD VIOLATION</u>
	<u>COMMENTS</u>	<u>CORRECT BY DATE</u>

FOODBORNE ILLNESS RISK FACTORS AND PUBLIC HEALTH INTERVENTIONS

COLD / HOT HOLDING AND TEMPERATURES		WAREWASHING FACILITIES		
<u>HOLDING LOCATION</u>	<u>TEMP</u>	<u>TYPE</u>	<u>SANITIZER</u>	<u>PPM</u>
ICE CREAM	12.00	DISHWASHER	CHLORINE NOT DETECTED	0
MILK	40.00	3 BAY SINK	QUATS	300
		SANITIZING BUCKETS	QUATS	300

REMARKS

VIOLATIONS SHALL BE CORRECTED WITHIN 48 HOURS UNLESS SPECIFIED OTHERWISE. NON-COMPLIANCE MAY RESULT IN PENALTIES IN ACCORDANCE WITH APPLICABLE ADOPTED RADNOR TOWNSHIP CODES. OPERATOR SHALL POST THE MOST RECENT FOLLOWING DOCUMENTS IN PLAIN VIEW WHERE THE GENERAL PUBLIC CAN VIEW: RADNOR FOOD LICENSE, NATIONALLY RECOGNIZED FOOD MANAGER CERTIFICATION & MOST RECENT RADNOR TOWNSHIP FOOD SAFETY INSPECTION REPORT OR A NOTICE OF THE CONSUMERS ABILITY TO VIEW THE REPORT UPON REQUEST. RESULTS OF FOOD SAFETY INSPECTIONS SHALL BE PLACED ON THE RADNOR WEBSITE WITHIN 30 DAYS.

SIGNATURES

Person in Charge (Signature): 6/24/2016

Inspector (Signature): 6/24/2016

Larry Taltoan