



27 Wistar Road  
Construct a swimming pool  
250 CY of dirt (take off site)  
No trees to be removed

GP # 15-107

Approved

***Hazardous Tree Removals***  
***Approved for removal by Township Arborist***

106 Valley Forge Terrace  
36" Kentucky Coffee  
Tree is leaning heavily over house and rubbing into roof  
Large cut has been made into the trunk

Doug McCone moved to recommend that the applicant be requested to plant 3 replacement trees. The motion passed 4-1 Michael Drennan opposed. Township Arborist will contact the tree company

830 Sproul Road  
36" Red Oak  
Dead

Eastern University  
(3) Ash Trees 24"  
(1) Norway Maple 23"  
Trees have been breaking apart for 3 years – numerous attempts to save, trunks & upper canopies bad condition, positive danger to students

Township Arborist has requested some plantings

122 Woods Lane  
34" Red Oak  
Dead

The board requested that going forward the Township arborist request plantings in all hazardous tree removals, including dead trees. He responded that he does recommend this for all of his decisions. The issue of the loss of canopy throughout the Township was discussed and whether the verbiage in the Shade Tree Ordinance needs to be revised regarding replacement trees on hazardous tree removals. John Rice will be consulted on legality of requiring tree replacement during removals of hazardous trees especially dead ones.

Respectfully submitted,